

# BC Science Chemistry 11

## Answer Key

### Section 2.1

#### Warm Up

1. for e.g. cold, white, crystalline, slippery, compressible, cohesive
2. for e.g. light, heavy, fluffy, wet
3. for e.g. the air temperature and pressure

#### Quick Check

1. the stuff that materials are composed of
2. a quality of a thing, especially a quality common to a group, type, class, etc.
3. a quality that is or depends upon the amount of the material
4. a property that describes a chemical change, i.e. one in which a new substance(s) or species is formed, or otherwise describes the tendency of a chemical to react

#### Quick Check

1. the average mechanical energy of the particles that compose a material
2. the total mechanical energy of an object's or a material's particles
3. the energy transferred from one body to another because of a difference in temperature

#### Quick Check

1. the process of changing from a solid to a liquid
2. the vigorous bubbling that occurs within the body of a liquid as it vaporizes internally
3. the amount of heat energy required to melt a specified amount of a substance at its melting point

#### Quick Check

1. a property of a solution that only depends on the concentration of the dissolved particles, not on their identity
2. for e.g. boiling point elevation
3. a solution of a metal and another solid or solids

#### Activity: The Thickness of Aluminum Foil

For example:


Length (cm)	Width (cm)	S. Area (cm <sup>2</sup> )	Mass (g)	Density (g/cm <sup>3</sup> )	Volume (cm <sup>3</sup> )	Thickness (cm)
30.0	30.5	915.0	3.872	2.702	1.433	0.001566

9. for e.g.  $\frac{1.566 \times 10^{-5} \text{ m thick}}{2.86 \times 10^{-10} \text{ m/atom}} = 54,800 \text{ atoms thick}$

## Review Questions

- vapour is a form of matter, vapour pressure is a property, and vaporizing is a phenomenon.
  - solid is a form of matter, freezing point is a property, and freezing is a phenomenon.
- All matter exerts a force of gravity on other matter and occupies space.
- Alchemists had it backwards, believing that a material depends on its properties rather than the properties depending on the material.
- for e.g. elastic, durable, non-marking, gets good traction without sticking, easily produced
- for e.g. how much liquid it can absorb, how quickly it absorbs liquids, how strong it is when wet
- intensive
  - extensive
  - extensive
  - intensive
  - intensive
  - extensive
- physical
  - physical
  - chemical
  - physical
  - physical
  - chemical
- physical
  - chemical
  - chemical
  - physical
  - chemical
  - physical
- to get a combination of properties not possible in a single material
- mass, speed    11. their mass, volume and spacing - note question should ask for 3 properties
- The particles move faster and thereby strike each other harder causing them to bounce further apart.
- Solids: fixed shape and volume  
Liquids: fixed volume, adopt the shape of their container  
Gases: adopt the shape and volume of their container
- No. An individual atom or molecule cannot melt. Melting describes a change in the relationship between atoms or molecules.
- The particles have spread apart to an extent where they can slip by one another.
- As a solid melts slowly in its own liquid, the temperature of the liquid does not rise

because any added kinetic energy is absorbed by the solid and converted into potential energy through melting.

17. at the liquid's boiling point
18. Operational: the temperature at which vigorous bubbling occurs  
Conceptual: the temperature at which the substance's vapour pressure equals the pressure of the gas above the liquid
19. a. heat of vaporization  
b. particles in the liquid state are not that much farther apart than they are in the solid state whereas particles in the gas state are much farther apart (on average) than they are in the liquid state, i.e. there is a much greater increase in P.E. going from a liquid to a gas than going from a solid to a liquid.
20. a. heat of combustion  
b. Changing the positions of molecules relative to one another involves less energy than changing the positions of atoms within molecules, i.e. chemical changes generally involve much more energy than physical changes
21. Chemical properties
22. A diagram of a lit candle. A horizontal line points from the text 'physical change (wax melting)' to the side of the candle. Another horizontal line points from the text 'chemical change (wax vapour burning)' to the flame.
23. each student forms new associations with different students
24. a person might mistakenly believe inflammable means not flammable
25. A liquid's freezing point decreases when a nonvolatile substance is dissolved in it. The amount that the freezing point decreases depends only on the concentration of the dissolved particles, not on their identity.
26. high carbon steel because it's harder

## Section 2.2

### Warm Up

3. for e.g. tennis
4. for e.g. racquet sports
3. an example is an individual whereas a class is a subgroup

### Quick Check

5. An element is a type of substance.
6. A mixture is composed of more than one substance.
7. for e.g. copper, sodium chloride (table salt), salt water

### Practice Problems – Classifying a Compound as Ionic or Molecular

1. a. molecular                      d. ionic  
b. ionic                              e. ionic  
c. molecular                      f. ionic

### Quick Check

1. ionic
2. base
3. salt

### Quick Check


1. one that appears the same throughout
2. solute, solvent
3. dispersed phase, continuous or dispersion medium

### Activity: Classifying Chemical Glassware

6. Some schemes may be more useful than others but any scheme is as valid as another

### Review Questions

1. for e.g. copper (in wires), water, milk
2. a compound. It's easy to demonstrate that you can decompose a substance but difficult to prove that you can't.
3. a. properties  
b. composition  
c. properties (the particle sizes are only rough guidelines)



5. a. compound                      d. mixture                      g. element  
 b. mixture                          e. element                      h. mixture  
 c. compound                      f. mixture

6. a. semi-metal  
 b. metal  
 c. non-metal  
 d. non-metal

7. conduct heat and electricity, malleable, ductile, lustrous

8.

Compound	Organic or Inorganic	Binary or Non-Binary	Molecular or Ionic	Acid, Base, Salt or None of these
CaCl <sub>2</sub>	Inorganic	Binary	Ionic	Salt
CH <sub>3</sub> CH <sub>2</sub> OH	Organic	Non-binary	Molecular	None of these
NH <sub>4</sub> ClO <sub>3</sub>	Inorganic	Non-binary	Ionic	Salt
KOH	Inorganic	Non-binary	Ionic	Base
C <sub>3</sub> H <sub>8</sub>	Organic	Binary	Molecular	None of these
H <sub>3</sub> PO <sub>4</sub>	Inorganic	Non-binary	Molecular	Acid
Ba(NO <sub>3</sub> ) <sub>2</sub>	Inorganic	Non-binary	Ionic	Salt
CO <sub>2</sub>	Inorganic	Binary	Molecular	None of these
Al(OH) <sub>3</sub>	Inorganic	Non-binary	Ionic	Base

9. a mixture of metals (alloy). The same components could be mixed in different proportions. Any material having atoms that are not chemically combined in a fixed ratio is a chemical mixture and would be so even if those atoms were organized in a

uniform pattern.

10. Atoms are not homogeneous (the same throughout) and therefore nothing composed of atoms is truly homogeneous.
11. Yes. The different allotropes of an element are different substances. Even though they are composed of the same type of atom, the atoms are grouped or arranged differently resulting in the allotropes having different physical and chemical properties.
12. a. molecule                      d. neutral atom  
b. neutral atom                  e. molecule  
c. ion                                f. ion

13.

	<b>Solution</b>	<b>Colloid</b>	<b>Heterogeneous Mixture</b>
all particles are less than 1 nm in size	✓		
gravel			✓
does not appear the same throughout			✓
forms a sediment if left undisturbed			✓
has a solute and a solvent	✓		
milk	✓	✓	
exhibits the Tyndall effect		✓	✓
homogeneous mixture	✓	✓	
coarse suspension			✓
orange juice with pulp	✓		✓
may be separated by centrifugation		✓	✓

14. A suspension will settle out if left undisturbed whereas a colloid will not settle out because it's dispersed particles are smaller.
15. Both. Some dust particles settle and some don't.
16. a. Salt water is a denser solution than fresh water.  
(Fresh water is not pure water. It also has substances dissolved in it.)  
b. The colloid particles were dispersed in water.

## Section 2.3

### Warm Up

- For e.g.
1. Filter out the mud particles.
  2. Centrifuge to remove the algal cells
  3. Evaporate off the water to leave the solid salts

### Quick Check

8. buoyancy
9. colloid particles are so small that they are supported by their collisions with the solvent particles
10. centrifugation

### Quick Check

1. Chromatography is a technique that separates the substances in a solution by having a flowing liquid or gas carry them at different rates through a stationary phase.
2. Distillation is any process that separates a mixture of substances by using their different vapour pressures or boiling points.
3. mining, waste water treatment and paper recycling

### Activity: Classifying Chemical Glassware

For e.g.

Procedure		Items Separated from Mixture
1.	Place a magnet in the mixture	Paper clips
2.	Pour water into the mixture	Wooden discs
3.	Pour off the water and marbles.	Marbles

### Review Questions

1. Decomposing compounds is a chemical change (new substances are produced) OR Decomposition disassembles substances whereas separation sorts substances.
2. to allow the substances to be identified or to obtain the substances for their useful properties, their intrinsic values or more commonly to use the substances to produce useful mixtures of our own design
3. viscosity

4. Forces such as buoyancy and fluid friction become meaningless when the size of the particle approaches the size of the supporting medium's particles.
5.
  - a. a resistance to change in motion
  - b. As the tube changes its direction, the suspended particles initially maintain their linear motion.
6. of their greater inertia
7. for e.g.
  - i. use a magnet to remove the iron filings
  - ii. add water to dissolve the sugar and then filter out the sand or decant off the liquid.
  - iii. evaporate off the water to recover the solid sugar
8. to filter particulate matter such as dust particles out of the air
9. Each substance travels through the stationary phase at its own characteristic rate, according to its relative affinities for the two phases.
10. spraying chemicals on a chromatogram that form coloured complexes with the separated substances to reveal their location
11. the process of rinsing the separated substances off the chromatogram. Their recovery is usually necessary so that they can be identified through further analysis.
12. the ink itself might run through the stationary phase and become mixed with the sample substances whereas the graphite in pencils is insoluble in most solvents
13.
 
$$R_f = \frac{4.9 \text{ cm}}{5.4 \text{ cm}} = 0.91$$
14. Liquids can evaporate long before their boiling point thus the distillate still contains some of each liquid although it is now richer in the liquid with the lower boiling point.
15. how far apart their boiling points are and the length of the fractionating column
16. Cool the air until the oxygen condenses out at  $-183^{\circ}\text{C}$ . Continued cooling would condense the nitrogen at  $-196^{\circ}\text{C}$  if you wish to collect it as a liquid.
17. distillation because of the heating or cooling required
18. Froth flotation require adding chemicals to the mixture that float the target substance to the surface. In density separations the substance floats to the surface of its own accord.



## Section 2.4

### Warm Up

	$\text{Br}^-$	$\text{O}^{2-}$	$\text{N}^{3-}$	$\text{OH}^-$	$\text{SO}_4^{2-}$	$\text{PO}_4^{3-}$
$\text{Na}^+$	$\text{NaBr}$	$\text{Na}_2\text{O}$	$\text{Na}_3\text{N}$	$\text{NaOH}$	$\text{Na}_2\text{SO}_4$	$\text{Na}_3\text{PO}_4$
$\text{Ca}^{2+}$	$\text{CaBr}_2$	$\text{CaO}$	$\text{Ca}_3\text{N}_2$	$\text{Ca(OH)}_2$	$\text{CaSO}_4$	$\text{Ca}_3(\text{PO}_4)_2$
$\text{Al}^{3+}$	$\text{AlBr}_3$	$\text{Al}_2\text{O}_3$	$\text{AlN}$	$\text{Al(OH)}_3$	$\text{Al}_2(\text{SO}_4)_3$	$\text{AlPO}_4$
$\text{NH}_4^+$	$\text{NH}_4\text{Br}$	$(\text{NH}_4)_2\text{O}$	$(\text{NH}_4)_3\text{N}$	$\text{NH}_4\text{OH}$	$(\text{NH}_4)_2\text{SO}_4$	$(\text{NH}_4)_3\text{PO}_4$
$\text{Sn}^{4+}$	$\text{SnBr}_4$	$\text{SnO}_2$	$\text{Sn}_3\text{N}_4$	$\text{Sn(OH)}_4$	$\text{Sn(SO}_4)_2$	$\text{Sn}_3(\text{PO}_4)_4$

### Practice Problems – Determining the Names and Formulas of Binary Ionic Compounds

- $\text{Li}_2\text{S}$
  - $\text{CrO}$
  - $\text{AlCl}_3$
  - $\text{PbS}$
  - $\text{SnI}_2$
  - $\text{ZnBr}_2$
- zinc oxide
  - lead(IV) chloride
  - copper(II) chloride
  - sodium iodide
  - potassium sulphide
  - chromium(II) oxide

### Practice Problems – Determining the Names and Formulas of Ionic Compounds

- $\text{BaSO}_4$
  - $\text{AgNO}_3$
  - $\text{HgBr}_2$
  - $\text{Sn(C}_2\text{O}_4)_2$
  - $\text{Al}_2(\text{Cr}_2\text{O}_7)_3$
  - $\text{KF}$
- zinc hydroxide
  - tin(II) oxide
  - copper(II) hypochlorite
  - sodium ethanoate or sodium acetate
  - magnesium iodide
  - iron(II) dichromate

### Practice Problems – Determining the Names and Formulas of Molecular Compounds

- $\text{NO}$
  - $\text{NO}_2$
  - $\text{N}_2\text{O}_4$
  - $\text{N}_2\text{O}_3$
- phosphorus pentachloride
  - sulphur dioxide
  - carbon monoxide
  - Diphosphorus pentoxide

### Practice Problems – Determining the Names and Formulas of Hydrates

- $\text{BaCl}_2, 2\text{H}_2\text{O}$
  - $\text{Na}_2\text{CO}_3, \text{H}_2\text{O}$
  - $\text{Fe(NO}_3)_3, 9\text{H}_2\text{O}$
  - $\text{Ba(OH)}_2, 8\text{H}_2\text{O}$
- cobalt chloride hexahydrate
  - iron(III) chloride tetrahydrate
  - sodium dichromate dihydrate
  - magnesium sulphate heptahydrate

## Practice Problems – Determining the Names and Formulas of Acids

- HF
  - HClO
  - H<sub>3</sub>PO<sub>4</sub>
  - H<sub>2</sub>S
- ethanoic or acetic acid
  - sulphurous acid
  - carbonic acid
  - hydriodic acid

## Review Questions

- $\text{Na}^+ + \text{F}^- \rightarrow \text{NaF}$
  - $\text{Fe}^{2+} + 2\text{Br}^- \rightarrow \text{FeBr}_2$
  - $\text{Sn}^{4+} + 4\text{Cl}^- \rightarrow \text{SnCl}_4$
  - $2\text{Cr}^{3+} + 3\text{S}^{2-} \rightarrow \text{Cr}_2\text{S}_3$
- CrCl<sub>2</sub>
  - AlF<sub>3</sub>
  - MgI<sub>2</sub>
  - SnO<sub>2</sub>
- potassium oxide
  - zinc bromide
  - lead(IV) oxide
  - mercury(I) chloride
- potassium chloride KCl
  - manganese(IV) oxide MnO<sub>2</sub>
  - iron(III) sulphide Fe<sub>2</sub>S<sub>3</sub>
  - copper(II) iodide CuI<sub>2</sub>
- $\text{Na}^+ + \text{NO}_2^- \rightarrow \text{NaNO}_2$
  - $3\text{Ag}^+ + \text{PO}_4^{3-} \rightarrow \text{Ag}_3\text{PO}_4$
  - $\text{Li}^+ + \text{CH}_3\text{COO}^- \rightarrow \text{LiCH}_3\text{COO}$
  - $2\text{Cr}^{3+} + 3\text{C}_2\text{O}_4^{2-} \rightarrow \text{Cr}_2(\text{C}_2\text{O}_4)_3$
- CuClO<sub>4</sub>
  - Ca(HS)<sub>2</sub>
  - Al<sub>2</sub>(HPO<sub>4</sub>)<sub>3</sub>
  - Mg(OH)<sub>2</sub>
- barium phosphate
  - iron(II) bisulphite
  - lead(IV) binoxalate
  - copper(I) dihydrogen phosphate
- for e.g. FeNa(CrO<sub>4</sub>)<sub>2</sub> or FeNa<sub>3</sub>(CrO<sub>4</sub>)<sub>3</sub>
  - for e.g. Zn<sub>2</sub>(SO<sub>4</sub>)(NO<sub>3</sub>)<sub>2</sub> or Zn<sub>3</sub>(SO<sub>4</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>2</sub>
- ClO
  - P<sub>4</sub>O<sub>6</sub>
  - AsF<sub>5</sub>
  - NI<sub>3</sub>
- Triphosphorus pentabromide
  - Diboron hexahydride
  - sulphur tri-oxide
  - carbon tetrafluoride
- Na<sub>2</sub>SO<sub>4</sub>, 10H<sub>2</sub>O
  - CaCl<sub>2</sub>, 2H<sub>2</sub>O
  - Cu(CH<sub>3</sub>COO)<sub>2</sub>, H<sub>2</sub>O
  - CrCl<sub>3</sub>, 6H<sub>2</sub>O
- cadmium nitrate, tetrahydrate
  - sodium monohydrogen phosphate, heptahydrate
  - copper(II) sulphate, pentahydrate
  - iron(III) nitrate, nonahydrate

13. because water is combined in a fixed ratio with the salt ions.
14. bracketing the  $\text{H}_2\text{O}$  might suggest that it is a polyatomic ion
15. a.  $\text{HBr}$  c.  $\text{HClO}_3$   
b.  $\text{H}_2\text{CrO}_4$  d.  $\text{HClO}$
16. a. hydrosulphuric acid c. nitrous acid  
b. perchloric acid d. thiocyanic acid
17. a.  $\text{K}_2\text{O}$  f.  $\text{HCN}$   
b.  $\text{HMnO}_4$  g.  $\text{SF}_6$   
c.  $\text{SO}_2$  h.  $\text{Ca}(\text{CH}_3\text{COO})_2, \text{H}_2\text{O}$   
d.  $(\text{NH}_4)_2\text{CO}_3$  i.  $\text{Cr}(\text{HSO}_3)_2$   
e.  $\text{FeSO}_4, 7\text{H}_2\text{O}$  j.  $\text{Mg}(\text{OH})_2$